

Addiction History

- Substances
 - Current substance use and amount
- Age Started
 Each substance
- Route of use each substance
 - Inhalation smoke vs vapor
 - Oral
 - Intravenous
 - Snorting

Objectives

- Proper assessment of a Patient with Opioid Addiction
- Clinical assessment
- Informed consent regarding OST, side effects and program restrictions
- Inclusion of the Family Physician
- Engagement and recovery



Cost

- Daily cost of their habit
- · How they finance it
 - Legal employment
 - Illegal crime theft, dealing,
 - Sex trade safety,

Patient Assessment

- Referred or self referred
- Reason for seeking OST
- Past attempts number and successes
- Treatment options



Initial Screen

- Should be opiate positive
- Should have an initial screen prior to starting OST
- Stimulants are a red flag something to be discussed

Past Addiction Treatment

- Abstinence
- Detox
- Rehab
- Day Programming
- AA, NA meetings
- Addiction counseling



Social History

- Education
- Employment
- Legal outstanding warrants?
- Housing
- Domestic/Sexual Abuse
- Children



- Medical history

 HIV, Hep C, Cardiac,
- Surgical history
- Trauma history – Chronic pain issues
- Psychiatric history
 - Overdose, suicide attempts, PTSD, sexual and domestic abuse history



Review of Symptoms

- Skin tattoos, piercings
- Neuro headaches, paresthesias
- ENT septal defects
- CVS chest pain, palpitations
- Resp SOB, cough
- GI constipation,
- MSK arthralgias
- GU LNMP< birth control, retention

Family History

- Addiction history
 - Important to find out substances abused
 - Any non addicted family supports



Review of Systems

- · Psychiatric issues
- Fatigue
- · Fever, night sweats



Physical Exam

- Vitals BP, Pulse, Oxygen sat
- Skin tattoos, piercings
- Track marks
- Spider nevi, palmar erythema, jaundice



Engagement in Recovery

- Expectations of recovery
- More than just methadone

Informed Consent

- Safety of Prescribed methadone
- Safety of Prescribed buprenorphine
- · Discuss side effects
- Program restrictions
- Expectations



Case 1

- 34 y.o male presents requesting methadone recovery
- Has already been through the intake process
- Initial urine drug screen
 Positive for hydromorphone

Inclusion of Family Physician

- Letter to Family Physician to let them know you have started them on methadone
- Discuss potential for drug interactions



Case 1 cont'd

- IVDU 5 years
- Detox 3 times
- Rehab 1 time was abstinent for 3 months
- Using hydromorphone 5 6's per day
- Costing 120 dollars a day
- Works construction dry waller
- Is not getting much work lately

Case 1 cont'd

- Had money saved up but now has used it all
- Would like to go on methadone



Case 2 cont'd

- Using since age 15
- Using dilly 6's and 8's
- Morphine 2 greys a day
- Costs over \$100 a day
- Works the street to pay for her habit
- States she is tired of her current life and would like help

Case 1 cont'd

- Do we start him?
- Other options ?
- · Discuss pros and cons of methadone



Case 2 cont'd

- Denies using cocaine or crystal meth
- Advise her we need a urine drug screen before we consider methadone
- Offer blood work for Hepatitis C and HIV – she states she is Hepatitis C positive – hasn't had testing for HIV for a couple of years

Case 2

- 26 y.o female
- Daysheet says "to talk"
- Female thin, long sleeves, sweaty, looks unwell
- States she would like to go on methadone
- No previous history in chart new patient

•

Case 2 cont's

• Do we start methadone today?

Case 2 cont's

- Get a urine drug screen today
- Ask her to rebook in 1 week
- Offer her detox today
- Book her in with an addiction counsellor



Case 2 cont'd

Options

- 1. Ask her to stop using stimulants and tell her you will start her on methadone once she is stimulant free
- 2. Start her on methadone with the idea that she attends detox for her stimulant abuse in 6 weeks when she is stable on methadone
- 3. Start her on methadone and hope yow will be able to engage her in recovery over time

Case 2 cont'd

- Get urine drug screen 3 days later:
- · Positive for
 - Cocaine
 - Hydromorphone
 - Ritalin
 - Methamphetamine
 - Gabapentin
 - THC




Case 2 cont'd

- Is our plan different if she is:
 - Pregnant?
 - HIV positive?

Case 2 cont'd

- 2nd appointment
- Do we start her on methadone?



Informed Consent

- Discuss safety of methadone and buprenorphine
- Discuss dangers of methadone
- · Program expectations

